



Purexall⁵

Health Canada approved to be effective against Novel 2019 Coronavirus COVID-19 on hard, non-porous surfaces



DISINFECTANT
Cleans • Disinfects & Deodorizes in One Step
Désinfectant • Nettoyant



Kills 99.9% of Bacteria in 5 Seconds!

DIN# 02500426



Ready to use spray • Alcohol Free • Bleach free

MOST EFFECTIVE SPRAY DISINFECTANT



Toll Free: 1 (833) 599-7233 (SAFE)
www.ProtechSafetySupply.com



Protech Safety Supply

Purexall⁵

Purexall 5 DISINFECTANT is a one-step hospital-use germicidal disinfectant cleaner and odor neutralizer designed for general cleaning, and disinfecting deodorizing of hard, non-porous inanimate surfaces. Quickly removes dirt, grime, food residue, blood and other organic matter commonly found in health care facilities. It eliminates odors leaving surfaces smelling clean and fresh.



FORMULA FEATURES:

- Kills SARS Associated Coronavirus in 2 Min
- Disinfect, Deodorizer And Mildewstat
- Effective Tuberculocidal Disinfectant on Hard, Non-porous Surfaces
- Unlike Bleach, Will Not Damage
- Carpets, Upholstery, Clothing or Metal
- Kills Many Viruses and Bacteria In 1, 5 or 10 Minutes
- Kills Norovirus in 30 Seconds
- Health Canada Registered to Kill Hepatitis A

RECOMMENDED FOR:

• Hard, non-porous surfaces	• Glazed Porcelain	• Fragrance.....Free	• cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors
• Floors	• Ceramic Tile	• Beauty salons, barber shops, correctional facilities, funeral homes, mortuaries	
• Walls	• Plastic Surfaces	• Grocery stores, Shopping Centers, Delicatessens, Catering facilities, Banquet halls	
• Counters	• Bathrooms	• Schools, health clubs, gyms, athletic facilities, airports, transportation terminals	
• Sinks	• Shower Stalls and Bathtubs		
• Appliances	• Poultry Equipment		
• Metal Surfaces	• Animal Quarters and Kennels		
• Stainless Steel Surfaces	• non-porous personal protective safety equipment		



DIRECTIONS:

For surfaces and/or objects that may come into direct contact with children at the mouthing stage of development a rinse with potable water is recommended. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

GENERAL CLEANING:

Spray soiled area then wipe with a dry paper towel or lint-free cloth.

SPECIFICATIONS:

Registrations.....**Health Canada**
Dilution.....RTU
pH Level.....11.8 – 12.8
Color.....Clear
Fragrance.....Lemon





EMERGING PATHOGEN COMPLIANCE GUIDANCE

PUREXALL 5 product has demonstrated effectiveness against SARS Associated Coronavirus on hard, non-porous surfaces and is on HEALTH CANADA'S LISTS FOR COVID-19 (SARS-COV-2). Therefore, this product can be used against COVID-19 when used in accordance with the directions for use against Canine Parvovirus.

5 SECONDS CONTACT TIME:

- Staphylococcus Aureus
- Klebsiella pneumoniae

1/2 MINUTE CONTACT TIME:

- Avian Influenza A (H5n1)
- HIV-1 [Aids Virus]

1 MINUTE CONTACT TIME:

- Bovine Viral Diarrhea Virus
- Duck Hepatitis B Virus (DHBV)
- Hepatitis B
- Hepatitis C
- Human Rotavirus

2 MINUTE CONTACT TIME:

- Norovirus
- Rhinovirus Type 14
- Salmonella Enterica
- Escherichia Coli
- Methicillin Resistant Staphylococcus Epidermidis
- Multi-Drug Resistant (MDR) Acinetobacter Baumanii
- Ceftazidime and Gentamicin Resistant
- Vanomycin Resistant Enterococcus Faecalis

5 MINUTE CONTACT TIME:

- Poliovirus Type 1

10 MINUTE CONTACT TIME:

- Poliovirus Type 1
- Canine Parvovirus
- Trichopyton Mentagrophytes
- Hepatitis A Virus

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID Have the product container, label, or Drug Identification Number (DIN) with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Do not contaminate water, food, or feed by storage and disposal. Store in a dry place no lower in temperature than 10° C or higher than 50° C.

DISPOSAL: Rinse the emptied container thoroughly. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.



DISINFECTION, DEODORIZING:

Remove gross filth or heavy soil prior to application of (the product or product name). Hold container 15-20 cm from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 5 minutes. No scrubbing necessary. Allow treated surfaces to air dry or wipe off with a clean cloth or sponge. When using on food contact surfaces: counter tops, stovetops, highchairs, kitchen appliances, thoroughly rinse all treated surfaces with potable (tap) water. This product must not be used to clean eating utensils, glassware and dishes. Purexall 5 will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood.

ONE-STEP CLEANING AND DISINFECTION OF TOILET BOWLS AND URINALS:

Remove water from bowl by forcing water over the trap with swab mop applicator. Press swab mop against side of the bowl to remove excess water from applicator. Apply 1 to 2 ounces (28 to 56 mL) of this product evenly across bowl surface, allowing sufficient time for (the product or product name) to cover entire surface for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 5 minutes and flush.

To disinfect food processing premises: floors, walls and storage areas, hold container 15-20 cm from the surface to be treated and spray area until it is covered with the solution. Allow (product or product name) to penetrate and the surface to remain wet for 5 minutes. Wipe off with a clean cloth, mop or sponge and let air dry. Thoroughly rinse all food contact surfaces with potable water. Heavily soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product.

TO DISINFECT FOOD SERVICE ESTABLISHMENT FOOD CONTACT SURFACES:

Countertops, appliances, tables, hold container 15-20 cm from the surface to be treated and spray area until it is covered with the solution. Allow (product or product name) to penetrate and the surface to remain wet for 5 minutes. Wipe off with a clean cloth, mop or sponge and thoroughly rinse all food contact surfaces in the area with potable water. Heavily soiled areas must be pre-cleaned before using this product. Do not use on eating utensils, glassware and cookware.

Disinfection of animal quarters and kennels: to disinfect pre-cleaned animal quarters and kennels, apply sc-rtu disinfectant cleaner. Remove all animals and feed from premises. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate the surfaces with the disinfecting solution for a period of 5 minutes (for canine parvovirus). Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Target surfaces must be cleaned prior to disinfection, as the presence of heavy soil on a surface may reduce the intended disinfectant efficacy of the product. CONTACT TIME: Allow surfaces to remain wet for 2 minutes. (HIV-1 is inactivated in 30 seconds, HBV and HCV are inactivated in 1 minute)

INFECTIOUS MATERIALS DISPOSAL: Any materials used in the cleaning process that may contain blood or body fluids are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

EFFICACY TESTS HAVE DEMONSTRATED THAT SC-RTU DISINFECTANT CLEANER IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

For Ultrasound Transducers and Probes:

Use only on external surfaces of ultrasound transducers and probes. With a clean washcloth, clean gel from external surface of the ultrasound transducer or probe to be disinfected. Then thoroughly wet probe with spray. Treated surface must remain wet for 5 minutes. Let air dry. SANITIZE NON-FOOD CONTACT SURFACES and DEODORIZE: To sanitize/deodorize hard, non-porous surfaces, hold container 15-20 cm from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 5 seconds. SC-RTU DISINFECTANT CLEANER is an effective sanitizer against *Staphylococcus aureus*

(Staph) (ATCC 6538) and *Klebsiella pneumoniae* (ATCC 4352). Let surface dry. For heavily soiled surfaces, a pre-cleaning step is required. For surfaces that may come in contact with food, a potable water rinse is required.

- Animal Housing Facilities (and Poultry and Swine Premises): Purexall 5 removes dirt, grime, blood, urine, fecal matter and other common soils found in animal housing facilities, grooming facilities, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It also eliminates odors leaving surfaces smelling clean and fresh.

- It cleans, disinfects and deodorizes hard, non-porous inanimate surfaces in one step. Its non-abrasive formula is designed for use on Use daily to clean and disinfect hard, non-porous inanimate surfaces: plated or stainless steel, aluminum, chrome, glazed porcelain, glazed tile, laminated surfaces associated with floors, walls, countertops, cages, crates, kennels, and animal equipment found in animal housing facilities.

- Public Restrooms: Purexall 5 DISINFECTANT CLEANER is a one-step disinfectant cleaner and deodorant (odor-counteractant) (odor-neutralizer) designed for general cleaning, and disinfecting, deodorizing on hard, non-porous inanimate surfaces.

- It cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use on (restroom surfaces): glazed ceramic restroom surfaces, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

- Non-Acid Bowl (& Bathroom) Disinfectant Cleaner: Purexall 5 is a ready-to-use non-acid bowl and bathroom cleaner that cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes toilet bowls, urinals, rims, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all non-porous inanimate surfaces found in the bathroom restroom in the presence of organic soil.

- It eliminates odors, leaving bathrooms restrooms smelling clean and fresh. Use where odors are a problem. It cleans, disinfects, and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use daily on restroom surfaces: glass, glazed ceramic restroom surfaces, glazed tile, glazed porcelain, chrome, stainless steel, and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms, and locker rooms.

VIRUCIDAL ACTIVITY:

Purexall 5 DISINFECTANT is an effective viricide on hard, non-porous surfaces against HIV-1 and Avian Influenza Virus (H5N1) NIBRG-14, Feline Calicivirus, Norovirus (Norwalk Virus), Canine Parvovirus and Rhinovirus Type 14, Human Rotavirus (ATCC VR-2018), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Duck Hepatitis B Virus (DHBV), Bovine Viral Diarrhea Virus (BVDV) and Poliovirus Type 1 (ATCC VR-1562) when the treated surface is allowed to remain wet for 5 minutes.

